

Hot Food in Focus.



STAYHOT

Stayhot Products 2021



Stayhot Products 2021

We put hot food in focus.

For over 35 years, we have dedicated our energy into providing restaurant kitchens with elegant, innovative and reliable food warmers that stand the test of time, even in the most demanding of environments.

Contents

Stayhot

Pendant Heat Lamps	006
Tabletop Heat Lamps	046
Strip Heaters	062
Hot Trays	078
Modular System	090

Staychill

Chill Trays	100
Food Display	106

StayHot&Cold

Combi Plates	110
Cold Plates	122
Hot Plates	124
Combi Wells	132

Everything Else

Calle Canteen	134
Accessories / Spare Parts	138

About

Our Story	146
Contact	147





Pendant Heat Lamps

Stayhot pendant heat lamps offer timeless design combined with unmatched performance. The perfect choice for the demanding restaurant. Made using only components of the highest quality, these heat lamps are manufactured with precision at our warehouse in Sweden.

Bastard Burgers Sollentuna



Heat Lamp Focus RO






Black / Umbra Grey

Heat Lamp Focus RS





Heat Lamp Focus
Model RO



Pendant Heat Lamp Focus RO
Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 220 mm
Adjustable Height	Min 850 mm / Max 1850 mm
Material	Anodised Aluminium, Galvanised Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-RO-HSS
	● Aluminium	VL1-RO-HSA
	● Copper	VL1-RO-HSK
	● Umbra Grey	VL1-RO-HSUG




Pendant Heat Lamp Focus RO
Standard Cord

Pendant heat lamp made in Sweden with standard cord. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 220 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium, Galvanised Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-RO-RKS
	● Aluminium	VL1-RO-RKA
	● Copper	VL1-RO-RKK
	● Umbra Grey	VL1-RO-RKUG

Heat Lamp Focus Model RS



Pendant Heat Lamp Focus RS Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 220 mm / Ø 220 mm
Adjustable Height	Min 850 mm / Max 1850 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-RS-HSS
	● Aluminium	VL1-RS-HSA
	● Grey Blue	VL1-RS-HSGB
	● Cement Grey	VL1-RS-HSCG
	● Umbra Grey	VL1-RS-HSUG



Pendant Heat Lamp Focus RS Standard Cord

Pendant heat lamp made in Sweden with standard cord. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 220 mm / Ø 220 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-RS-RKS
	● Aluminium	VL1-RS-RKA
	● Grey Blue	VL1-RS-RKGB
	● Cement Grey	VL1-RS-RKCG
	● Umbra Grey	VL1-RS-RKUG

Heat Lamp Focus

Model MO



Pendant Heat Lamp Focus MO Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 200 mm
Adjustable Height	Min 850 mm / Max 1850 mm
Material	Anodised Aluminium, Galvanised Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-MO-HSS
	● Aluminium	VL1-MO-HSA
	● Mid Grey	VL1-MO-HSMG
	● Umbra Grey	VL1-MO-HSUG



Pendant Heat Lamp Focus MO Standard Cord


Pendant heat lamp made in Sweden with standard cord. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 200 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium, Galvanised Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-MO-RKS
	● Aluminium	VL1-MO-RKA
	● Mid Grey	VL1-MO-RKMG
	● Umbra Grey	VL1-MO-RKUG

Heat Lamp Focus

Model MS



Pendant Heat Lamp Focus MS Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 200 mm
Adjustable Height	Min 850 mm / Max 1850 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-MS-HSS
	● Aluminium	VL1-MS-HSA
	● Cement Grey	VL1-MS-HSCG
	● Umbra Grey	VL1-MS-HSUG



Pendant Heat Lamp Focus MS Standard Cord


Pendant heat lamp made in Sweden with standard cord. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 200 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-MS-RKS
	● Aluminium	VL1-MS-RKA
	● Cement Grey	VL1-MS-RKCG
	● Umbra Grey	VL1-MS-RKUG

Heat Lamp Focus

Model IO




Pendant Heat Lamp Focus MO Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 220 mm
Adjustable Height	Min 850 mm / Max 1850 mm
Material	Anodised Aluminium, Galvanised Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-IO-HSS
	● Aluminium	VL1-IO-HSA
	● Racing Green	VL1-IO-HSRG
	● Umbra Grey	VL1-IO-HSUG



Pendant Heat Lamp Focus IO Standard Cord

Pendant heat lamp made in Sweden with standard cord. Understated form combine with innovative functions to enhance the restaurant experience for chefs and visitors alike.

Shade	H 250 mm / Ø 220 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium, Galvanised Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	VL1-IO-RKS
	● Aluminium	VL1-IO-RKA
	● Racing Green	VL1-IO-RKRG
	● Umbra Grey	VL1-IO-RKUG




Dahlboms Mat



Heat Lamp Classic



Heat Lamp Classic
Model 1224






Pendant Heat Lamp Classic 1224
Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Timeless design combined with unmatched performance means the perfect choice for the demanding restaurant.

Shade	H 350 mm / Ø 180 mm
Adjustable Height	Min 950 mm / Max 1950 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1224-HSS
	● Brass	1224-HSM
	● Aluminium	1224-HSA
	● Copper	1224-HSK
	● Chrome	1224-HSC
	● Black Lacquer	1224-HSSL
	● Umbra Grey	1224-HSUG

Heat Lamp Classic
Model 1223



Pendant Heat Lamp Classic 1223
Standard Cord


Pendant heat lamp made in Sweden with standard cord. Timeless design combined with unmatched performance means the perfect choice for the demanding restaurant.

Shade	H 350 mm / Ø 180 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1223-S
	● Brass	1223-M
	● Aluminium	1223-A
	● Copper	1223-K
	● Chrome	1223-C
	● Black Lacquer	1223-SL
	● Umbra Grey	1223-UG

Heat Lamp Classic

Model 1222



Pendant Heat Lamp Classic 1222

Standard Cord



Pendant heat lamp made in Sweden with standard cord. Timeless design combined with unmatched performance means the perfect choice for the demanding restaurant.

Shade	H 290 mm / Ø 180 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1222-S
	● Brass	1222-M
	● Aluminium	1222-A
	● Copper	1222-K
	● Black Lacquer	1222-SL
	● Umbra Grey	1222-UG

Heat Lamp Classic

Model 1250



Pendant Heat Lamp Classic 1250

Standard Cord

Pendant heat lamp made in Sweden with standard cord. Timeless design combined with unmatched performance means the perfect choice for the demanding restaurant.

Shade	H 220 mm / Ø 180 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1250-S
	● Brass	1250-M
	● Aluminium	1250-A
	● Copper	1250-K
	● Chrome	1250-C
	● Black Lacquer	1250-SL
	● Umbra Grey	1250-UG






Made in Sweden

Our products are made with care and precision in our Swedish factory, a stone's throw away from the city centre of Stockholm. This provides us with superior control over selection of materials, components and all other processes involved in creating premium food warmers, where we only settle for the highest standard.



Heat Lamp Trattoria Model 1224






Pendant Heat Lamp Trattoria 1224 Retractable Cord

Pendant heat lamp made in Sweden with rise and fall function. Timeless design combined with unmatched performance means the perfect choice for the demanding restaurant.

Shade	H 330 mm / Ø 280 mm
Adjustable Height	Min 930 mm / Max 1930 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1224-TOPIS
	● Brass	1224-TOPIM
	● Aluminium	1224-TOPIA
	● Copper	1224-TOPIK
	● Bronze	1224-TOPIB
	● Umbra Grey	1224-TOPIUG

Heat Lamp Trattoria Model 1223





Pendant Heat Lamp Trattoria 1223 Standard Cord

Pendant heat lamp made in Sweden with standard cord. Timeless design combined with unmatched performance means the perfect choice for the demanding restaurant.

Shade	H 330 mm / Ø 280 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1223-TOPIS
	● Brass	1223-TOPIM
	● Aluminium	1223-TOPIA
	● Copper	1223-TOPIK
	● Bronze	1223-TOPIB
	● Umbra Grey	1223-TOPIUG

Heat Lamp Trattoria
Model 1250



Pendant Heat Lamp Trattoria 1250
Standard Cord

Pendant heat lamp made in Sweden with standard cord.
Timeless design combined with unmatched performance means
the perfect choice for the demanding restaurant.

Shade	H 200 mm / Ø 280 mm
Cord Length	Max 2000 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	1250-TOPIS
	● Brass	1250-TOPIM
	● Aluminium	1250-TOPIA
	● Copper	1250-TOPIK
	● Bronze	1250-TOPIB
	● Umbra Grey	1250-TOPIUG





The Lamp Factory

Create your own customised heat lamp that suits your restaurant environment.

With *The Lamp Factory*, you can easily adapt all of our Classic and Focus heat lamps. Choose between 226 RAL colors and matt and high-gloss finish.

Examples



Product Heat Lamp Focus MS
Finish RAL 3005 Wine Red
Shine Matt




Product Heat Lamp Focus MS
Finish RAL 1018 Zinc Yellow
Shine High-Gloss



Product Heat Lamp Focus MS
Finish RAL 6020 Chrome Green
Shine Matt



Heat Lamp Exclusive
Model 22001



Pendant Heat Lamp Exclusive 22001
Retractable Cord

Heat Lamp Exclusive 22001 offers a timeless and elegant food warming option that fits well into most restaurant environments. This specific model is available in four standard finishes and comes with a retractable cord.

Shade	H 220 mm / Ø 225 mm
Adjustable Height	Min 850 mm / Max 1700 mm
Material	Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Heat Lamp Exclusive
Model 23001



Pendant Heat Lamp Exclusive 23001
Retractable Cord

Heat Lamp Exclusive 23001 offers a timeless and elegant food warming option that fits well into most restaurant environments. This specific model is available in two standard finishes and comes with a retractable cord mount.

Shade	H 250 mm / Ø 240 mm
Adjustable Height	Min 850 mm / Max 1700 mm
Material	Steel
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Black	23001-S
	● Chrome	23001-C



Heat Lamp Compact Model 27001



Pendant Heat Lamp Compact 27001 Retractable Cord

Heat Lamp Compact 27001 offers a modern alternative that fits well into most restaurant environments. This specific model is available in four standard finishes and comes with a retractable cord mount.

Shade	H 220 mm / Ø 150 mm
Adjustable Height	Min 850 mm / Max 1700 mm
Material	Anodised Aluminium
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	● Bronze	27001-B
	● Black	27001-S
	● White	27001-V
	● Aluminium	27001-A

Tabletop Heat Lamps



Our tabletop heat lamps offer a wide variety of elegant and flexible options for your food warming needs.









Heat Lamp Focus
Tabletop Model LPF




Tabletop Heat Lamp Focus
Model LPF

Tabletop heat lamp LPF is the latest addition to our product family. Designed and manufactured by us in Sollentuna. These heat lamps offer an elegant and flexible warming alternative to the buffet table. Available in five standard colours.

Height	635 mm
Shade	H 218 / Ø 180 mm
Base	Ø 236 x 12 mm
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	<div><div></div>Cement Grey</div>	LPF1-CG
	<div><div></div>Black</div>	LPF1-S
	<div><div></div>Aluminium</div>	LPF1-V
	<div><div></div>Brass</div>	LPF1-M
	<div><div></div>Copper</div>	LPF1-K

Heat Lamp Focus
Tabletop Model LPF / Clamp Base



Tabletop Heat Lamp Focus
Model LPF / Clamp Base


Our new tabletop heat lamp Focus LPF is also available with a clamp base for table mounting. Perfect when space is scarce. Designed, developed and manufactured by us in Sollentuna. Available in five different colours.

Height	635 mm
Shade	H 218 / Ø 180 mm
Table Clamp	95 x 60 x 78 mm
Voltage / Power	230 V / 250 W
Heat Source	Philips Infrared Bulb
Colour Temperature	Warm White, 2700 K

Article Number	<div><div></div>Cement Grey</div>	LPF1-BT-CG
	<div><div></div>Black</div>	LPF1-BT-S
	<div><div></div>Aluminium</div>	LPF1-BT-V
	<div><div></div>Brass</div>	LPF1-BT-M
	<div><div></div>Copper</div>	LPF1-BT-K



Heat Lamp Exclusive
Tabletop Models




Tabletop Heat Lamp Exclusive
Model 24000

This tabletop heat lamp is the perfect option for anyone in need of an elegant, reliable and movable food warmer. Choose between a movable base, table clamp mounting and fixed mounting.

Height	700 mm
Shade	H 210 / Ø 180 mm
Base	200 x 200 x 40 mm
Voltage / Power	230 V / 250 W

Article Number	● Chrome	24000-BC
	● White	24000-BV
	● Black	24000-BS
	● Brass	24000-BG
	● Clamp Mount	24000-TC
	● Fixed Mount	24000-FC

Heat Lamp Exclusive
Double Tabletop Models



Tabletop Heat Lamp Exclusive
Model 24002 / Double

This tabletop heat lamp is the perfect option for anyone in need of an elegant, reliable and movable food warmer. Model 24002 offers twice the amount of heating with two separate flexible arms.

Height	700 mm
Shade	H 210 / Ø 180 mm
Base	200 x 200 x 40 mm
Voltage / Power	230 V / 2 x 250 W

Article Number	● Chrome	24002-BC
	● Black	24002-BS
	● Brass	24002-BG



Strip Heaters

Our range of strip heaters are designed and manufactured with care and precision in Sweden. Whether it's the reliable Classic range or our brand new Focus strip heater, all models on offer provide food warming solutions that are elegant, space efficient and powerful.



We set out to create the most powerful, versatile and refined strip heater on the market. After more than two years of continuous research, design and development, we are proud to introduce the *Focus Strip Heater* as the end result.

Strip Heater Focus
Fully Featured


Legs for tabletop mounting
available in addition to the
standard mounting plates
for installation under shelf

Three GN-friendly lengths
600 / 900 / 1200 mm

The control unit can
be separated and
operated remotely

Choose between two
finishes – Nickel Grey
and Stealth Black

The cord output
can be adjusted in
four directions




Durable and extremely
powerful ceramic heat
elements with a very
long life span

The protective grill has a
simple opening function
for cleaning and general
ease of access

Industry-leading IP44
water resistance

Dimmable lighting and
adjustable heat with
stepless dials

Strip Heater Focus



Strip Heater Focus
Model 60



We wanted to create the most effective, versatile and refined strip heater on the market. After two years of design and research, we are proud to introduce *Focus* as the end result.

Fitted with some seriously tough and powerful ceramic heat elements that possess supremely long life spans. Heat is adjusted with a stepless dial while the ambient lighting is controlled through a smooth dimmer. Available in three GN-adapted lengths and two surface finishes. Designed and manufactured with care and precision in Sweden.

Shipping Q1 2022. Ready for pre-order now.

Dimensions	600 x 200 x 70 mm	
Material	Anodised Aluminium / Stainless Steel	
Wattage	700 W	
Heat Source	Ceramic Heating Element	
Light Source	Diffused Halogen	
Colour Temperature	Warm White 2700 K	
Voltage	230 V / 50 Hz	
IP Code	IP44	

Article Number	● Nickel	VB1-060-N
	● Black	VB1-060-S



Strip Heater Focus
Model 90

We wanted to create the most effective, versatile and refined strip heater on the market. After two years of design and research, we are proud to introduce *Focus* as the end result.



Fitted with some seriously tough and powerful ceramic heat elements that possess supremely long life spans. Heat is adjusted with a stepless dial while the ambient lighting is controlled through a smooth dimmer. Available in three GN-adapted lengths and two surface finishes. Designed and manufactured with care and precision in Sweden.

Shipping Q1 2022. Ready for pre-order now.

Dimensions	900 x 200 x 70 mm	
Material	Anodised Aluminium / Stainless Steel	
Wattage	1400 W	
Heat Source	Ceramic Heating Element	
Light Source	Diffused Halogen	
Colour Temperature	Warm White 2700 K	
Voltage	230 V / 50 Hz	
IP Code	IP44	

Article Number	● Nickel	VB1-090-N
	● Black	VB1-090-S

Strip Heater Focus



Strip Heater Focus
Model 120

We wanted to create the most effective, versatile and refined strip heater on the market. After two years of design and research, we are proud to introduce *Focus* as the end result.

Fitted with some seriously tough and powerful ceramic heat elements that possess supremely long life spans. Heat is adjusted with a stepless dial while the ambient lighting is controlled through a smooth dimmer. Available in three GN-adapted lengths and two surface finishes. Designed and manufactured with care and precision in Sweden.

Shipping Q1 2022. Ready for pre-order now.

Dimensions	1200 x 200 x 70 mm
Material	Anodised Aluminium / Stainless Steel
Wattage	2100 W
Heat Source	Ceramic Heating Element
Light Source	Diffused Halogen
Colour Temperature	Warm White 2700 K
Voltage	230 V / 50 Hz
IP Code	IP44

Article Number	● Nickel	VB1-120-N
	● Black	VB1-120-S





Strip Heater Classic

Over the years, our Classic strip heater has been utilised as a trusted and reliable food warmer in restaurant kitchens all around Sweden and Europe.

Designed and manufactured in our Swedish warehouse using polished stainless steel and equipped with powerful infrared quartz heating elements. Choose from eight different models with and without separate lighting.

Strip Heater Classic



Strip Heater Classic
Without Lights (V)

Our space efficient strip heaters are locally manufactured using stainless steel and powerful infrared quartz heating elements. Easy to install with our adjustable mounting plates.

Material	Polished Stainless steel	Article Number	● V-570
Heat Source	Infrared Quartz Element		● V-640
Installation	25-45 cm Above Food		● V-945
Voltage	230 V		● V-1250
Width	570 / 640 / 945 / 1250 mm		
Depth / Height	150 x 60 mm		




Strip Heater Classic
With Lights (VL)

Space efficient strip heater with separate lighting. Made in Sweden equipped with powerful infrared quartz heating elements. Easy to install with our adjustable mounting plates.

Material	Polished Stainless Steel	Article Number	● VL-750
Heat Source	Infrared Quartz Element		● VL-820
Installation	25-45 cm Above Food		● VL-1125
Voltage	230 V		● VL-1430
Width	750 / 820 / 1125 / 1430 mm		
Depth / Height	150 x 60 mm		

Strip Heater Classic

Freestanding Table Stands



Strip Heater Classic

Freestanding Table Stands

We offer table stands for our strip heaters. It's a flexible alternative for anyone who wants a freestanding solution for their strip heater instead of mounting it under a shelf.

Manufactured using high quality stainless steel, all stands include a sheet of tempered glass to be used as shelf space. Our stands are easy to bring out when needed, say for a breakfast or lunch buffet, and can just as easily be tucked away when not needed.

Material	Brushed Stainless Steel
Width	615 / 685 / 990 / 1295 mm
Depth / Height	195 x 390 mm



Model	Stand for Strip Heater V-570
Article Number	FS-570
Model	Stand for Strip Heater V-640
Article Number	FS-640
Model	Stand for Strip Heater V-945
Article Number	FS-945
Model	Stand for Strip Heater V-1250
Article Number	FS-1250

Model	Stand for Strip Heater VL-750
Article Number	FS-750
Model	Stand for Strip Heater VL-820
Article Number	FS-820
Model	Stand for Strip Heater VL-1125
Article Number	FS-1125
Model	Stand for Strip Heater VL-1430
Article Number	FS-1430




New! Hot Tray Focus

Our brand new Stayhot Focus Hot Tray has been designed to enhance the buffet experience for chefs and visitors alike.

Hot Tray Focus
Fully Featured

- Adjustable heat up to 105° C
- Removable cord
- Hidden cord input
- Splash proof rated at IP43
- Three GN-friendly models
- Stainless steel or brass finish




Hot Tray Focus



Hot Tray Focus
Model 64

Our brand new hot tray has been thoughtfully created to enhance the buffet experience for chefs and visitors alike. Developed and manufactured in Sweden with an emphasis put on functional and user-friendly design solutions.

Dimensions	600 x 400 x 53 mm
GN Standard	Adapted to GN 1/1
Power / Voltage	900 W / 230 V
Material	Stainless Steel / Brass
Temperature	Max 105° C
IP Rating	IP43



Hot Tray Focus
Model 64

Our brand new hot tray has been thoughtfully created to enhance the buffet experience for chefs and visitors alike. Developed and manufactured in Sweden with an emphasis put on functional and user-friendly design solutions.

Dimensions	600 x 800 x 53 mm
GN Standard	Adapted to GN 2/1
Power / Voltage	1800 W / 230 V
Material	Stainless Steel / Brass
Temperature	Max 105° C
IP Rating	IP43

Hot Tray Focus



Hot Tray Focus
Model 412

Our brand new hot tray has been thoughtfully created to enhance the buffet experience for chefs and visitors alike. Developed and manufactured in Sweden with an emphasis put on functional and user-friendly design solutions.

Dimensions	400 x 1200 x 53 mm
GN Standard	Adapted to 2x GN 1/1
Power / Voltage	1800 W / 230 V
Material	Stainless Steel / Brass
Temperature	Max 105° C
IP Rating	IP43

Article Number	● Stainless Steel	VH1-0412-RF
	● Brass	VH1-0412-BR





Hot Trays WP



Stayhot Hot Tray WP 250

Material	Ceramic glass
Dimensions	640 x 340 x 40 mm
Voltage / Power	230 V / 250 W
Heated Surface	530 x 325 mm
Article Number	WP-250



Stayhot Hot Tray WP 305 RE

Material	Ceramic glass
Dimensions	640 x 340 x 40 mm
Voltage / Power	230 V / 300 W
Heated Surface	530 x 325 mm
Article Number	WP-305-RE



Stayhot Hot Tray WP 350

Material	Ceramic glass
Dimensions	720 x 425 x 40 mm
Voltage / Power	230 V / 350 W
Heated Surface	620 x 420 mm
Article Number	WP-350



Stayhot Hot Tray WP 405 RE

Material	Ceramic glass
Dimensions	720 x 425 x 40 mm
Voltage / Power	230 V / 400 W
Heated Surface	620 x 420 mm
Article Number	WP-405-RE



Stayhot Hot Tray WPS 857

Material	Stainless steel
Dimensions	505 x 200 x 45 mm
Voltage / Power	230 V / 850 W
Article Number	WPS-857




Stayhot Hot Tray WPE 307 / Drop-in version

Material	Ceramic glass
Dimensions	570 x 365 x 45 mm
Voltage / Power	230 V / 300 W
Heated Surface	530 x 325 mm
Article Number	WPE-307

Our high quality hot trays are a great addition to any restaurant buffet. Made using durable ceramic glass, these hot trays are functional, elegant and affordable.

New! **Focus Modular System**



As *Aristotle* eloquently put it –
«*The whole is greater than the sum
of its parts.*» We took that notion
to heart when we created the
Stayhot Focus Modular System.

By combining core products
with smart connecting devices,
you can easily build customised
food warming stations that meet
specific demands.

Stayhot Focus
Modular System

Example #1
The Above & Below

Elevate your buffet with this custom solution. Our Focus Hot Tray and Strip Heater fuse seamlessly together to provide heating from both above and below. Just add the custom made Hot Tray Frame and Strip Heater Stand to complete the station.

List of Individual Components


- 1x

Strip Heater Focus 90
VB1-090-S
- 1x

Strip Heater Stand
FMS-VBS-S
- 1x

Hot Tray Focus 68
VH1-0608-RF
- 1x

Hot Tray Frame 600 x 800
FMS-HTF-68-S




Example #2

The Double Decker Buffet

An abundance of space is usually a rare commodity at the buffet table. We sought to combat this issue by creating a two tiered food warming station that would effectively double the amount of space available for hot food. Simply add the Stand and Frame to our 412 Focus Hot Tray, and you have created The Double Decker Buffet!

List of Individual Components

- 2x Hot Tray Focus 412
VH1-0412-RF
- 2x Hot Tray Frame 400 x 1200
FMS-HTF-412-S
- 1x Hot Tray Stand 400 x 300
FMS-HTS-43-S




Stayhot Focus
Modular System

Example #3
The Plating Station

A flexible and refined plating station created with our tabletop heat lamp Focus LPF for above heat and our Focus hot tray for heat from below. The Canteen Holder helps out with the finishing touches. Perfect for any type of serving situation. The smart frame design allows you to mount the heat lamps anywhere along the side of the frame. You can also add our custom cutting board and you have a premium carving station on your hands!

List of Individual Components

- 1x Hot Tray Focus 68
VH1-0608-RF
- 1x Hot Tray Frame 600 x 800
FMS-HTF-68-S
- 2x Tabletop Heat Lamp Focus LPF Frame
LPF1-FC-S
- 1x Canteen Holder
FMS-CH-S




Optional cutting board



Stayhot Focus
Modular System

Summary
Individual Components




Hot Tray Stand 400 x 300

- Black

FMS-HTS-43-S
- Cement Grey

FMS-HTS-43-CG




Hot Tray Stand 600 x 300

- Black

FMS-HTS-63-S
- Cement Grey

FMS-HTS-63-CG




Strip Heater Stand

- Black

FMS-VBS-S
- Cement Grey

FMS-VBS-CG




Hot Tray Frame 600 x 400

- Black

FMS-HTF-64-S
- Cement Grey

FMS-HTF-64-CG




Hot Tray Frame 600 x 800

- Black

FMS-HTF-68-S
- Cement Grey

FMS-HTF-68-CG




Hot Tray Frame 400 x 1200

- Black

FMS-HTF-412-S
- Cement Grey

FMS-HTF-412-CG




Heat Lamp Frame Connector

- Black

FMS-FC-S
- Cement Grey

FMS-FC-CG




Canteen Holder

- Black

FMS-CH-S
- Cement Grey

FMS-CH-CG

GN 1/6 canteens sold separately.




Strip Heater Focus 60

- Black

VB1-060-S
- Nickel

VB1-060-N




Strip Heater Focus 90

- Black

VB1-090-S
- Nickel

VB1-090-N




Strip Heater Focus 120

- Black

VB1-120-S
- Nickel

VB1-120-N




Hot Tray Focus 64

- Stainless Steel

VH1-0604-RF
- Brass

VH1-0604-BR




Hot Tray Focus 68

- Stainless Steel

VH1-0608-RF
- Brass

VH1-0608-BR




Hot Tray Focus 412

- Stainless Steel

VH1-0412-RF
- Brass

VH1-0412-BR



Tabletop Heat Lamp Focus LPF Frame

- Black

LPF1-FC-S
- Cement Grey

LPF1-FC-CG

Chill Trays



Whether it's for the breakfast or salad buffet, *Staychill* is the solution for keeping food cold.

Our elegant and effective chill trays keep everything from juice to butter cold.

Staychill Chill Trays



Staychill Chill Tray GN 1/1

Dimensions	530 x 325 x 36 (mm)
Material	Aluminium
Article Number	SCSL1



Staychill Chill Tray GN 1/2

Dimensions	325 x 265 x 36 (mm)
Material	Aluminium
Article Number	SCSL2



Staychill Chill Tray GN 1/3

Dimensions	325 x 176 x 36 (mm)
Material	Aluminium
Article Number	SCSL3



Staychill Chill Tray GN 1/4

Dimensions	265 x 162 x 36 (mm)
Material	Aluminium
Article Number	SCSL4



Staychill Chill Tray GN 1/6

Dimensions	176 x 162 x 36 mm
Material	Aluminium
Article Number	SCSL6

Store the chill tray in the freezer* for twelve hours. The temperature of the chill tray is then kept below +8 °C for at least three hours**.

* at -18 °C or colder

** at a +22 °C room temperature



Staychill Chill Tray Round

Dimensions	Ø 300 x 30 mm
Material	Aluminium
Article Number	SCSLR

Staychill Brass Covers



Brass Cover Staychill Chill Tray GN 1/1

Keep cool in style with our Staychill Brass Covers. Made to order. Allow for approximately 3 weeks delivery time.

Measurements	530 x 325 x 36 (mm)
Material	Brass
Article Number	SCBC-1



Brass Cover Staychill Chill Tray GN 1/2

Elegant brass covers for our Staychill Chill Trays. Made in Sweden. Made to order. Allow for 3 weeks delivery time.

Measurements	325 x 265 x 36 (mm)
Material	Brass
Article Number	SCBC-2



Brass Cover Staychill Chill Tray GN 1/3

Elegant brass covers for our Staychill Chill Trays. Made in Sweden. Made to order. Allow for 3 weeks delivery time.

Measurements	325 x 176 x 36 (mm)
Material	Brass
Article Number	SCBC-3



Brass Cover Staychill Chill Tray GN 1/4

Keep cool in style with our Staychill Brass Covers. Made to order. Allow for approximately 3 weeks delivery time.

Measurements	265 x 162 x 36 (mm)
Material	Brass
Article Number	SCBC-4





Display food safely without ever compromising on aesthetics.

Staychill Food Display



Staychill Food Display
GN 1/1

It has never been more relevant to display and offer food safely.

Staychill Food Display works great separately or in combination with our cold plates for an elegant and hygienic food display with an improved cooling time.

Choose between two sizes; GN 1/1 and GN 1/2. Made in Sweden using Plexiglas® and PETG.

Measurements	550 x 340 x 170 mm
Material	Plexiglas® / PETG
Country of Origin	Sweden

Article Number	SC-FD-GN-1-1
----------------	--------------



Staychill Food Display
GN 1/2

It has never been more relevant to display and offer food safely.

Staychill Food Display works great separately or in combination with our cold plates for an elegant and hygienic food display with an improved cooling time.

Choose between two sizes; GN 1/1 and GN 1/2. Made in Sweden using Plexiglas® and PETG.

Measurements	345 x 275 x 170 mm
Material	Plexiglas® / PETG
Country of Origin	Sweden

Article Number	SC-FD-GN-1-2
----------------	--------------



StayHot&Cold

StayHot&Cold encompasses a wide range of innovative heated and chilled food display equipment.

Our crown jewel is the *Combi Plate*, where the temperature can be controlled anywhere between -5°C and +140°C, allowing simple changeovers between meals and buffet variants.

Our drop-in plates are topped with *Gorilla glass*, *Dekton* or *Stainless Steel*. All units are available in a range of gastronomic sizes and as *cold only* or *hot only* units.



↑
Skandia Sabis
Combi Plate GN 3/1

←
Holiday Inn Stanstead
Combi Well GN 2/1

StayHot&Cold Combi Plates



Keep your food both hot and cold with our StayHot&Cold Combi Plates.

Offering unrivalled flexibility, our Combi Plates can alter the surface temperature between -5 °C and +140 °C with the push of a button, keeping your food at optimal serving temperature and allowing simple changeovers between meals and buffet variants.

The compact compressor measures only 160 mm deep, meaning you can take full advantage of the under the counter area, saving on space!

Our Combi Plates are available with a number of surface options including Gorilla Glass, Dekton, Brass, Copper, as well as Stainless Steel. Due to the variety of options, the plates seamlessly blend in with any counter design. Cold only units can be installed under a continuous stone counter to create an invisible “frost top”.

Manufactured in Europe to the highest quality, the plates are available as a counter drop-in unit, or a portable tabletop unit.




BIM Objects

Now you can work with our plates in your preferred drawing programs.

Now available for download as Revit and 2D/3D DWG on our website.

Get to know our Combi Plates



01 / Cut-out Dimensions

Our recommended cut-out dimensions are 5-7 mm larger than the plate on all sides. The plate is then resting upon a series of adjustment screws, which are used to vertically align the height of the plate. Silicone matching the plate top is then used to seal the edges.

02 / Ventilation & Fan

In order for the combi plates to work optimally, it is critical that there is plenty of air flow underneath. The temperature in the space below the plate should not exceed +40 °C. An easy way to ensure supply and exhaust air is to install two ventilation holes on each side of the fan. The cooling compressor then works optimally and prevents overheating.

03 / Top Surface

Our Combi Plates are available with a number of surface options including Gorilla Glass, Dekton, Brass, Copper, as well as Stainless Steel. Due to the variety of options, the plates seamlessly blend in with any counter design.

04 / Control Panel


Control the temperature easily with the digital display. Go from searing heat and freezing cold with the push of a button.

05 / Compressor

All of our combi and cold plates have compact and efficient compressors. Measuring only 160 mm deep means you can take full advantage of the under the counter area, saving on space! All drop-in plates are also available without a built-in compressor, for installation to an external cooling system.

Available Sizes for Drop-in Plates

Standard Sizes




GN 1/1
530 x 330 mm



GN 2/1
530 x 660 mm



GN 3/1
530 x 990 mm




GN 4/1
530 x 1320 mm



Round
Ø 480 mm

Custom Sizes




Did you know you can order our drop-in plates custom designed to (almost) any size?


Get in touch for more information!

Top Surface Options for Drop-in Plates

Cosentino Dekton®



Dekton Zenith




Dekton Domoos



Dekton Sirius

Corning Gorilla® Glass / ESG Glass*



RAL 9010 Pure White




RAL 9004 Signal Black


Metal



Stainless Steel
Default Alternative



Brass



Copper

*4-6 mm ESG Glass is used for GN 4/1 and round models. 2 mm Gorilla Glass for all other models.

StayHot&Cold

Drop-in Combi Plates



Combi Plate GN 1/1
Built-in Compressor

Drop-in Combi Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	530 x 330 x 160 mm
Cut-out Dimensions	540 x 340 mm / 544 x 344 mm
Voltage	230 V, 50/60 Hz
Power	850 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-GN-1/1



Combi Plate GN 2/1
Built-in Compressor

Drop-in Combi Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	530 x 660 x 160 mm
Cut-out Dimensions	540 x 670 mm / 544 x 674 mm
Voltage	230 V, 50/60 Hz
Power	1520 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-GN-2/1



Combi Plate GN 3/1
Built-in Compressor

Drop-in Combi Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	530 x 990 x 160 mm
Cut-out Dimensions	540 x 1000 mm / 544 x 1004 mm
Voltage	230 V, 50/60 Hz
Power	2340 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-GN-3/1



Combi Plate Round
Built-in Compressor

Drop-in Combi Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	Ø 490 x 160 mm
Cut-out Dimensions	Ø 500 / 504 mm
Voltage	230 V, 50/60 Hz
Power	700 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 4 mm ESG Glass 1 mm Brass 1 mm Copper

Article Number SHC-R

StayHot&Cold

Drop-in Combi Plates / Central Cooling



Combi Plate GN 1/1
Central Cooling

Drop-in Combi Plate for installation to central cooling.
Temperature adjustable from –5 °C to +140 °C.

Dimensions	530 x 330 x 140 mm
Cut-out Dimensions	540 x 340 mm / 544 x 344 mm
Voltage	230 V, 50/60 Hz
Power	850 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number	SHC-GN-1/1-CKYLA
----------------	------------------



Combi Plate GN 2/1
Central Cooling

Drop-in Combi Plate for installation to central cooling.
Temperature adjustable from –5 °C to +140 °C.

Dimensions	530 x 660 x 140 mm
Cut-out Dimensions	540 x 670 mm / 544 x 674 mm
Voltage	230 V, 50/60 Hz
Power	1520 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number	SHC-GN-2/1-CKYLA
----------------	------------------



Combi Plate GN 3/1
Central Cooling

Drop-in Combi Plate for installation to central cooling.
Temperature adjustable from –5 °C to +140 °C.

Dimensions	530 x 990 x 140 mm
Cut-out Dimensions	540 x 1000 mm / 544 x 1004 mm
Voltage	230 V, 50/60 Hz
Power	2340 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number	SHC-GN-3/1-CKYLA
----------------	------------------



Combi Plate Round
Central Cooling

Drop-in Combi Plate for installation to central cooling.
Temperature adjustable from –5 °C to +140 °C.

Dimensions	Ø 490 x 140 mm
Cut-out Dimensions	Ø 500 / 504 mm
Voltage	230 V, 50/60 Hz
Power	700 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 4 mm ESG Glass 1 mm Brass 1 mm Copper

Article Number	SHC-R-CKYLA
----------------	-------------

StayHot&Cold

Drop-in Cold Plates



Cold Plate GN 1/1
Built-in Compressor

Drop-in Cold Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	530 x 330 x 160 mm
Cut-out Dimensions	540 x 340 mm / 544 x 344 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-C-GN-1/1-KYLA



Cold Plate GN 2/1
Built-in Compressor

Drop-in Cold Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	530 x 660 x 160 mm
Cut-out Dimensions	540 x 670 mm / 544 x 674 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-C-GN-2/1-KYLA



Cold Plate GN 3/1
Built-in Compressor

Drop-in Cold Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	530 x 990 x 160 mm
Cut-out Dimensions	540 x 1000 mm / 544 x 1004 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-C-GN-3/1-KYLA



Cold Plate Round
Built-in Compressor

Drop-in Cold Plate with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	Ø 490 x 160 mm
Cut-out Dimensions	Ø 500 / 504 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Refrigerant	R600a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 4 mm ESG Glass 1 mm Brass 1 mm Copper

Article Number SHC-C-R-KYLA

StayHot&Cold

Drop-in Cold Plates / Central Cooling



Cold Plate GN 1/1
Central Cooling

Drop-in Cold Plate for installation to central cooling.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	530 x 330 x 140 mm
Cut-out Dimensions	540 x 340 mm / 544 x 344 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number	SHC-C-GN-1/1-KYLA-CKYLA
----------------	-------------------------



Cold Plate GN 2/1
Central Cooling

Drop-in Cold Plate for installation to central cooling.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	530 x 660 x 140 mm
Cut-out Dimensions	540 x 670 mm / 544 x 674 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number	SHC-C-GN-2/1-KYLA-CKYLA
----------------	-------------------------



Cold Plate GN 3/1
Central Cooling

Drop-in Cold Plate for installation to central cooling.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	530 x 990 x 140 mm
Cut-out Dimensions	540 x 1000 mm / 544 x 1004 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number	SHC-C-GN-3/1-KYLA-CKYLA
----------------	-------------------------



Cold Plate Round
Central Cooling

Drop-in Cold Plate for installation to central cooling.
Temperature adjustable from -5 °C to +15 °C.

Dimensions	Ø 490 x 140 mm
Cut-out Dimensions	Ø 500 / 504 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Suitable Refrigerants	R134a / R404a / R507a
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 4 mm ESG Glass 1 mm Brass 1 mm Copper

Article Number	SHC-C-R-KYLA-CKYLA
----------------	--------------------

StayHot&Cold

Drop-in Hot Plates



Hot Plate GN 1/1

Drop-in Hot Plate, ready to plug in.
Temperature adjustable from +20 °C to +140 °C.

Dimensions	530 x 330 x 160 mm
Cut-out Dimensions	540 x 340 mm / 544 x 344 mm
Voltage	230 V, 50/60 Hz
Power	850 W
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-H-GN-1/1-VÄRME



Hot Plate GN 2/1

Drop-in Hot Plate, ready to plug in.
Temperature adjustable from +20 °C to +140 °C.

Dimensions	530 x 660 x 160 mm
Cut-out Dimensions	540 x 670 mm / 544 x 674 mm
Voltage	230 V, 50/60 Hz
Power	1520 W
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-H-GN-2/1-VÄRME



Hot Plate GN 3/1

Drop-in Hot Plate, ready to plug in.
Temperature adjustable from +20 °C to +140 °C.

Dimensions	530 x 990 x 160 mm
Cut-out Dimensions	540 x 1000 mm / 544 x 1004 mm
Voltage	230 V, 50/60 Hz
Power	2340 W
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 2 mm Gorilla Glass 1 mm Brass 1 mm Copper

Article Number SHC-H-GN-3/1-VÄRME



Hot Plate Round

Drop-in Hot Plate, ready to plug in.
Temperature adjustable from +20 °C to +140 °C.

Dimensions	Ø 490 x 160 mm
Cut-out Dimensions	Ø 500 / 504 mm
Voltage	230 V, 50/60 Hz
Power	700 W
Top Surface Options	1 mm Stainless Steel (Standard) 12 mm Dekton 4 mm ESG Glass 1 mm Brass 1 mm Copper

Article Number SHC-H-R-VÄRME

StayHot&Cold

Tabletop Combi/Cold Plates



Tabletop Combi Plate GN 1/1

Tabletop Combi Plate with built in compressor, ready to plug in. Temperature adjustable from -5 °C to +140 °C. Casing and top surface available in Black, White and Stainless Steel Design.

For 2021, the cord input and ventilation has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 345 x 170 mm
Voltage	230 V, 50/60 Hz
Power	850 W
Refrigerant	R600a
Available Finishes	● RAL 9004 ○ RAL 9010 ● Stainless Steel
Article Number	SHC-F-GN-1/1



Tabletop Combi Plate GN 2/1

Tabletop Combi Plate with built in compressor, ready to plug in. Temperature adjustable from -5 °C to +140 °C. Casing and top surface available in Black, White and Stainless Steel Design.

For 2021, the cord input and ventilation has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 675 x 170 mm
Voltage	230 V, 50/60 Hz
Power	1520 W
Refrigerant	R600a
Available Finishes	● RAL 9004 ○ RAL 9010 ● Stainless Steel
Article Number	SHC-F-GN-2/1



Tabletop Cold Plate GN 1/1

Tabletop Cold Plate with built in compressor, ready to plug in. Temperature adjustable from -5 °C to +15 °C. Casing and top surface available in Black, White and Stainless Steel Design.

For 2021, the cord input and ventilation has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 345 x 170 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Refrigerant	R600a
Available Finishes	● RAL 9004 ○ RAL 9010 ● Stainless Steel
Article Number	SHC-FC-GN-1/1-KYLA



Tabletop Cold Plate GN 2/1

Tabletop Combi Plate with built in compressor, ready to plug in. Temperature adjustable from -5 °C to +15 °C. External cover made out of Gorilla Glass.

For 2021, the cord input and ventilation has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 675 x 170 mm
Voltage	230 V, 50/60 Hz
Power	100 W
Refrigerant	R600a
External Cover	2 mm Gorilla Glass
Colours (RAL)	● 9004 ○ 9010
Article Number	SHC-FC-GN-2/1-KYLA

StayHot&Cold

Tabletop Hot Plates



Tabletop Hot Plate GN 1/1

Freestanding Hot Plate, ready to plug in. Temperature adjustable from +20 °C till +140 °C. Casing and top surface available in Black, White and Stainless Steel Design.

For 2021, the cord input has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 345 x 80 mm
Voltage	230 V, 50/60 Hz
Power	850 W
Available Finishes	<div><div></div> RAL 9004</div> <div><div></div> RAL 9010</div> <div><div></div> Stainless Steel</div>
Article Number	SHC-FH-GN-1/1-VÄRME



Tabletop Hot Plate GN 2/1

Freestanding Hot Plate, ready to plug in. Temperature adjustable from +20 °C till +140 °C. Casing and top surface available in Black, White and Stainless Steel Design.

For 2021, the cord input has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 675 x 80 mm
Voltage	230 V, 50/60 Hz
Power	1520 W
Available Finishes	<div><div></div> RAL 9004</div> <div><div></div> RAL 9010</div> <div><div></div> Stainless Steel</div>
Article Number	SHC-FH-GN-2/1-VÄRME



Tabletop Hot Plate GN 1/1

Freestanding Hot Plate, ready to plug in. Temperature adjustable from +20 °C till +140 °C. Casing and top surface available in Black, White and Stainless Steel Design.

For 2021, the cord input has been moved to sit underneath the plate for a more streamlined design.

Dimensions	545 x 1005 x 80 mm
Voltage	230 V, 50/60 Hz
Power	2340 W
Available Finishes	<div><div></div> RAL 9004</div> <div><div></div> RAL 9010</div> <div><div></div> Stainless Steel</div>
Article Number	SHC-FH-GN-3/1-VÄRME

StayHot&Cold

Drop-in Combi Wells



Combi Well GN 1/1
Built-in Compressor

Drop-in Combi Well with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	425 x 630 x 250 mm
Cut-out Dimensions	375 x 580 mm
Voltage	230 V, 50/60 Hz
Power	900 W
Refrigerant	R600a

Article Number	SHC-GN-1/1-BRUNN
----------------	------------------



Combi Well GN 2/1
Built-in Compressor

Drop-in Combi Well with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	770 x 630 x 250 mm
Cut-out Dimensions	720 x 580 mm
Voltage	230 V, 50/60 Hz
Power	1800 W
Refrigerant	R600a

Article Number	SHC-GN-2/1-BRUNN
----------------	------------------



Combi Well GN 3/1
Built-in Compressor

Drop-in Combi Well with built-in compressor, ready to plug in.
Temperature adjustable from -5 °C to +140 °C.

Dimensions	1100 x 630 x 250 mm
Cut-out Dimensions	1060 x 580 mm
Voltage	230 V, 50/60 Hz
Power	2700 W
Refrigerant	R600a

Article Number	SHC-GN-3/1-BRUNN
----------------	------------------



New! Calle Canteen

Calle keep the canteens in place and elevate the whole buffet experience. Designed to fit all GN 1/1 canteens, *Calle Canteen Holders* are made in Sweden using powder coated steel.

Calle Canteen Holders



Calle Canteen Holder GN 1/1
Model 65

Measurements	550 x 350 x 70 mm
Fits	GN 1/1 Canteens, 65 mm Height
Weight	4 kg
Material	Powder Coated Steel

Article Number Calle-65-S



Calle Canteen Holder GN 1/1
Model 100

Measurements	550 x 350 x 110 mm
Fits	GN 1/1 Canteens, 100 mm Height
Weight	6 kg
Material	Powder Coated Steel

Article Number Calle-100-S



Spare Parts & Accessories



All our products are made with high quality materials to ensure a long shelf life.

If something against the odds would break, it is very easy to choose from our range of spare parts and accessories.

Spare Parts & Accessories

Heat Lamps



IR Light Bulb / White

Power 250 W
Art. Nr. IR-250-V



IR PAR Light Bulb / White

Power 175 W
Art. Nr. IR-175-V



Retractable Cord / Focus

Art. Nr. VL1-H



Retractable Cord / Classic

Art. Nr. 1224-H



Adapter for ERCO Track

Art. Nr. 1079055000



Coupler for ERCO Track

Art. Nr. 1079315000



ERCO Track / 1 m / White

Material Aluminium
Length 1000 mm
Art. Nr. 21100-3



ERCO Track / 2 m / White

Material Aluminium
Length 2000 mm
Art. Nr. 21100-6



ERCO Track / 3 m / White

Material Aluminium
Length 3000 mm
Art. Nr. 21100-10



Protective Grill / Classic

Protective grill for Stayhot Classic heat lamps secures the buffet table. Perfect for serving spaces with a lot of movement and closeness to the customer.



Fits Models Heat Lamp Classic 1224, 1223, 1222, 1250
Colour Black
Diameter Ø 180 mm
Height 55 mm
Material Powder Coated Steel

Art. Nr. 1224-SG

Spare Parts & Accessories

Strip Heater Classic



Quartz Heating Element
V-570 / VL-750

Power 575 W
Art. Nr. ST570



Quartz Heating Element
640 / VL-820

Power 575 W
Art. Nr. ST640



Quartz Heating Element
V-945 / VL-1125

Power 750 W
Art. Nr. ST945



Quartz Heating Element
V-1250 / VL-1430

Power 1000 W
Art. Nr. ST1250



Light Fixture

Art. Nr. ST1090



Light Bulb 25 W

Art. Nr. ST1091



Mounting Plates (Pair)

Art. Nr. ST1088



Rheostat

Art. Nr. ST1093



Power Switch

Art. Nr. ST1092




Power Cable

Art. Nr. ST1089




Signal Lamp

Art. Nr. ST1096




Complete Cable Set
V-570 / V-640

Art. Nr. ST1086-570
ST1086-640




Complete Cable Set
V-945 / V-1250

Art. Nr. ST1086-945
ST1086-1250




Complete Cable Set
VL-750 / VL-820

Art. Nr. ST1086-750
ST1086-820




Complete Cable Set
VL-1125 / VL-1430

Art. Nr. ST1086-1125
ST1086-1430




Safety Grill V-570 / VL-750

Size 445 x 128 mm
Art. Nr. ST1097




Safety Grill V-640 / VL-820

Size 515 x 128 mm
Art. Nr. ST1098



Safety Grill V-945 / VL-1125

Size 820 x 128 mm
Art. Nr. ST1099



Safety Grill V-1250 / VL-1430

Size 1125 x 128 mm
Art. Nr. ST10991



Reflector V-570 / VL-750

Art. Nr. ST1087-570



Reflector V-640 / VL-820

Art. Nr. ST1087-640



Reflector V-945 / VL-1125

Art. Nr. ST1087-945



Reflector V-1250 / VL-1430

Art. Nr. ST1087-1250

Spare Parts & Accessories

Drop-in Plates (Combi/Hot/Cold)



Mounting Frame GN 1/1

Mounting frame for easy installation of recessed plates.

Art. Nr. SHC-MR-GN-1/1



Mounting Frame GN 2/1

Mounting frame for easy installation of recessed plates.

Art. Nr. SHC-MR-GN-2/1



Mounting Frame GN 3/1

Mounting frame for easy installation of recessed plates.

Art. Nr. SHC-MR-GN-3/1



Mounting Kit

Mounting kit for drop-in models.

Art. Nr. SHC-JS



Control Panel for Combi Plates

Connecting cables included.

Art. Nr. R-03-1



Control Panel for Hot Plates

Connecting cables included.

Art. Nr. R-03-2



Control Panel for Cold Plates

Connecting cables included.

Art. Nr. R-03-3

Spare Parts & Accessories

Hot Trays



Power Cable Fixed

Art.-Nr. WP-EL-FAST



Power Cable Removable

Art.-Nr. WP-EL



Handle WP-250

Art.-Nr. WP-250-H



Handle WP-350

Art.-Nr. WP-350-H

Chill Trays




Rubber Feet / Chill Trays

Art.-Nr. SCH-3

Our History


We are a family business with over 35 years of experience. Below you can read about how we have progressed as a company through the years.

1986




Started From The Bottom
Eva and Pelle Lobelius establish Lobelius Agenturer and run it out of their basement.

1987




First Impression
Our first logo, drawn up by our founder, Per Lobelius.

1993




Old School Ads
Even though we sell the same products, the ads we published 26 years ago looked a bit different compared to today.

1996




First Home
After 10 years in the basement, the company moves out and settles down in its own house, right next door.

2015




A Family Business
The second generation of Lobelius join the action as Karl, Felix and Erik gradually become involved in the business.

2017




The Red House
After more than 30 years of business, we finally move out of the residential area and into a warehouse that accomodates our expanding operation.

2019



Hot Food in Focus
A completely new product range is taking shape, with new heat lamps, strip heaters and hot trays, all specifically designed for the restaurants of tomorrow.


2021



Growth Spurt
With a new home for the business, we also start to grow in terms of numbers. New, talented colleagues result in fresh energy and ideas, all of which contribute to a stimulating workplace.

Contact Details

If ever in the area, we would love to welcome you to our office, where we base our stock, production and exhibition, all under one roof!



Here we are!

JAKOBSBERG

BARKARBY

SOLLENTUNA

KISTA

DANDERYD

DJURSHOLM

TÄBY

E4

E18

Call Us

Email Us

Online

+46 8 35 79 15

info@stayhot.se

www.stayhot.se


Visit Us

Knistavägen 1B

191 62 Sollentuna


Sweden

Contact us directly



Karl Lobelius

CEO



Felix Lobelius

Marketing & Communication

Direct

Email

+46 8 551 051 96

karl@stayhot.se

Direct

Email

+46 8 551 051 92

felix@stayhot.se

147

Colophon

Typefaces
Atlas Grotesk
Atelier Carvalho Bernau

Financier Display
KLIM Type Foundry

Photography Credits

Pages 1, 4-5
Restaurant Vrå
Sofia B Olsson

Page 10
Jonas Lindström
Restaurant Norobata

Pages 26-27
Petter Mild
Dahlboms Mat & Bar

Page 37
Restaurant Symbios

Page 40
Lerch Snickeri
Regeringsgatan 21

Page 48-49, 58-59
Anna Björkegren
Årets Kock

Page 54-55
Viktor Fremling
Gastronomi Sverige

Page 62, 72
Brasserie Astoria

Page 112
Catertherm



